DURIRON ACID PROOF BUILDING EQUIPMENT

82-14

DRAINAGE VENTILATION

> BULLETIN No. 134 MAY, 1924

PRODUCED ONLY BY

Me DURIRON COMPANY, INC.

DAYTON, OHIO.



DURIRON

Acid-Proof Building Equipment

a Handbook for

The Architect and Engineer

Introduction .					Pages 1-7
Part I.—Drainage					Pages 8-15
Part II Ventilation					Pages 16-19
Some Architects and E	Engi	neers			
Who Have Specif					Pages 20-21
A Selection of Duriron	Ins	tallat	ions		Pages 22-24



INDEX

Page	Page
Acids, Destroy Pipe 4	Impeller, Fan
Adapter, Bell and Flange 9	Increasers
Adapter, Spigot and Flange 9	Installation, Pipe 5
Advantages, Duriron 5	Installations, Partial List
Analysis, Duriron 4	Josam-Duriron Floor Drain 14
Architects, List of	Josam-Duriron Drain and Trap 14
Asbestos Packing	Long Sink Trap
Beehive Strainer	Long Sweep 1/4 Bends 11
Bends	Open End Overflows
Brackets, Sink	Outlet, Hood
Bureau of Standards, Tests	Overflows
Catch Basins	P Traps 12
Caulking, Pipe	Packing, Asbestos
Centrifugal Drum Trap	Pipe 8
Cleanout Plugs	Pipe Dimensions 8
Combination Y & 1/8 Bend	Quarter Bends
Cost. Duriron 5	Reducers 9
	Running Traps
	S Traps 12
	Sanitary Fittings
	Single Hub Pipe 8
	Sinks
	Sink Brackets
	Sink Outlets
	Sink Overflows
Double Quarter Bend	
Drains, Floor	Sixteenth Bends
Drum Traps	Specification, Fans
Ducts, Ventilation	Specification, Pipe
Eighth Bends	Strainers, Beehive
Exhaust Fans	Supports, Pipe 5
Fans, Capacities	Sweeps
Fans, Dimension Drawings	T Branches
Fittings, Dimensions 8	T Branches, Double 10
Floor Drains	T-Y Branches 10
Half S Traps	Tests, Bureau of Standards
H Fitting 10	Traps11, 12 & 13
	Upright Y Branches 10
	Vent Branches
	Vented Traps
	Ventilation
	Y Branches 10
Hub Vents	

FOREWORD

THIS handbook has been prepared for the Architect and Engineer as an aid in writing specifications for Duriron building equipment, and it contains working drawings of pipe, fittings, exhaust fans, and allied material.

The section devoted to exhaust fans (pages 16-19) contains tables and information relative to speeds, pressures and capacities of this apparatus.

Duriron building equipment is of the class of material that does not lend itself particularly to illustration, except by resorting to the common expedient of showing structures where it is in service.

We therefore show on pages 6 and 7 groups of buildings where Duriron is installed, and these are carried as types of structure where Duriron serves better than any other material.

However, it is obviously impossible to cover the extensive field of industrial and manufacturing users.

Whenever it is desirable to have technical and chemical data beyond that carried in this book, it will be supplied from our very complete files on corrosion.

These records are not limited to Duriron, but include all materials that may be considered for the handling of acids.

In addition to this co-operation, our Engineering Department is constantly engaged in the design of Duriron equipment for special uses arising in the course of building design, and this service is without obligation.


It is the fixed policy of this Company to advise the use of Duriron only when convinced that the application is right, and its use is a betterment as well as an eventual economy.

Dayton, Ohio

THE DURIRON COMPANY, Inc.,

May, 1924

Building Equipment Department.



INTRODUCTION

The extensive field for Duriron as structural equipment first was appreciated in its application for drain pipe.

The drain line for carrying acids, alkalis, and water contaminated with them, was a problem of plumbing specifications.

Duriron, universally acid-proof, and possessing every characteristic necessary, has proved to be the one perfect material for this purpose.

The limitations of the various materials previously used

are briefly summarized:

CAST IRON is immediately attacked and eventually destroyed by many commonly used acids.

WROUGHT IRON and STEEL are generally less re-

sistant to acid attack than cast iron. BRASS will not withstand the attack of such widely used corrosives as nitric, strong sulphuric and muriatic acids, and iron chloride.

COPPER is affected similarly to brass.

LEAD is quickly attacked by nitric, strong sulphuric, muriatic, iron chloride, and other generally used acids. It is structurally weak, and is likely to develop pinholes and blisters, causing leaks. Used as a lining for steel or iron pipe, lead is open to all the above criticism except weakness.

TILE is rapidly disintegrated by most acids as soon as its glaze is destroyed, though resistant previous to this. The chief objection to tile pipe is the difficulty of maintaining tight joints.

GLASS LINED or ENAMEL LINED pipe is resistant to most acids, but the lining is easily chipped or cracked, thus destroying its value.

FIBER pipe warps from temperature variations, be-

comes softened by liquids, sags and leaks.

DURIRON pipe is free from all of the above objections. Being a solid cast metal it has no vulnerable surface or section. It is amply strong, and is installed the same and as easily as cast iron soil pipe.

The Metal-Duriron

Duriron is a cast alloy of iron completely resistant to the action of commercial corrosives. Being a homogeneous metal, it requires no protective coating, and it is equally immune from attack inside, outside, and all through its structure.

Chemical Analysis of Duriron

The chemical analysis of Duriron is approximately as follows:

Silicon	97.1													above	14.25%
Carbon								14	29	ì	00.7			below	0.80%
Mangan	i C	se				0			d				-	below	0.50%
Sulphur											 41			below	0.08%
Phospho	OI	TI	8		 		į,		ú					below	0.20%


Physical Properties of Duriron

The Testing Laboratories of the School of Engineering of Columbia University a few years ago made exhaustive chemical and physical tests on Vitrified Tile, Lead and Duriron pipe. A condensed summary of their physical tests follows:

Physical Tests	Vitrified Tile Pipe	Lead Pipe	Duriron
Average ultimate crush- ing load in pounds per foot.	1556	1492	13,490
Average transverse ul- timate load in pounds, center load, span 21"	1813	400	11,250
Modulus of rupture computed from crush- ing load (lbs. per sq. in.)	1644	*	17,200

"Impossible to compute the modulus of rupture for a plastic material such as lead.

How Acids Destroy Pipe




A-Cast iron pipe after 160 hours in nitric acid, 10% strength.

B-Duriron pipe after 360 hours in nitric acid and 360 hours in sulphuric acid, both 10% strength.

C-Cast iron pipe after 240 hours in sulphuric acid, 10% strength.

A, B and C were the same length and wall thickness before being submerged in acid.

II



The photograph above shows sections of extra heavy lead, Duriron and brass pipe, all two-inch size.



This picture shows the same sections after the lead and brass were each submerged in nitric acid, 25% strength, for 72 hours. The Duriron section was submerged for 336 hours in the same acid.

While these tests on Duriron are of too short duration to prove its entire resistance to acids, they do show the rapid failure of cast iron, lead and brass to two of the most generally used corrosives.

Installation of Duriron Pipe

Duriron bell and spigot pipe is cut and installed in the same manner as cast iron soil pipe, the labor being the same.

In making the joints, asbestos rope (85% pure) should be used in place of the usual oakum, after which molten lead is poured and caulked in the ordinary manner.

We make and furnish a specially treated asbestos rope packing which assures a permanent joint.

Hangers should be provided at each bend and at each length of pipe in horizontal lines. Vertical lines should be supported at intervals not greater than ten feet.

Cost of Duriron Pipe

Past records indicate that the cost of a Duriron pipe installation is about the same as that of a lead-lined job of equal size.

As compared to extra heavy cast iron soil pipe, the cost of a completed Duriron installation, including labor, is about three times as great.

This additional cost, however, is a small fraction of one per cent of the cost of the structure, and results in permanent freedom from repairs or replacements due to corrosion.

After one replacement of a cast iron drain line the costs are about equal, and this must be followed by similar renewals from time to time.

Some Advantages of Duriron Pipe

Requires no protective coating inside or outside.

Easily installed, and familiar work to all plumbers.

Unnecessary to encase in concrete, provide drip pans, or otherwise to prepare for the failure that is certain with other pipe.

Elaborate supports not needed.

Lines may be run in walls and ceiling if desired.

Joints remain tight as cast iron soil pipe joints.

Fills code requirements for sanitary house drains.

Does not warp nor sag from heat.

No discoloration of wall when run in partitions.

Takes paint readily when desired for decorative purposes.

Complete stocks always maintained, permitting immediate delivery.

Permits location of department such as laboratory anywhere in structure.

Duriron Should Be Specified

For waste lines from educational, hospital and industrial laboratories.

In loft buildings and those devoted to crafts and professions using acid.

Waste lines from industrial plants whose processes require corrosive use.

House drains for combination acid and sanitary wastes.

For all wastes through cinder concrete, cinder fills, or other situations where corrosion occurs on outside of pipe. Fans and ducts for removal of corrosive fumes from chemical hoods, laboratories, pickling rooms, etc.

Roof vents exposed to extreme atmospheric corrosion.
All wastes where absolute insurance is desired against leaks due to corrosion or rust.

Typical Duriron Specifications

PIPE—All pipe and fittings carrying acid wastes fromto...... shall be of a cast metal known to the trade as Duriron, as manufactured by The Duriron Company, Inc., Dayton, Ohio; or of a ferro-silicon alloy of the following analysis:

Silicon		 	 .above	14.25%
Carbon		 	 .below	0.80%
Mangan	ese .	 	 .below	0.50%
Sulphur		 	 .below	0.08%
Phospho	orus .	 	 .below	0.20%

All such pipe and fittings with hub and spigot ends of the same pattern, thickness, etc., as extra heavy cast iron pipe, and of the sizes shown on drawings.....

JOINTS—All joints shall be caulked joints made with pure asbestos rope and molten lead, thoroughly caulked, finishing flush up with the face of hubs.

ALIGNMENT—All pipe lines shall be correctly aligned before joints are made. Proper supports shall be provided; at least one support to each length of pipe in horizontal lines; one at each bend; and supports at intervals no greater than ten feet in vertical lines.

CLEANOUTS—Suitable cleanout plugs of the same metal as the pipe shall be provided at points shown on drawings.

FLOOR DRAINS—Floor drains in.....shall be of the same metal as specified for pipe above.

NOTE: Josam-Duriron double drainage drains are best for this purpose. They prevent seepage around the drain.

LOCATION OF FLOOR OUTLETS—See paragraph at bottom of page 8.

VENTS—Vents carrying acid fumes shall be of the same metal as specified for pipe above. Joints shall be made in the same manner as pipe.


SINKS—All sinks, including waste connections, outlets, standing overflows and traps, shall be of the same metal as specified for pipe above. Each sink shall have the name of the metal cast thereon in raised letters.

NOTE: If it is desired to use sinks of other material, the outlets, standing overflows, traps, etc., should be of Duriron.

EXHAUST FANS—All exhaust fans for exhausting corrosive fumes from...., and from all laboratory hoods shall be of the same metal as specified for pipe. Such fans shall be of the size, type and capacity, and shall be operated at the speeds shown in the following schedule.

NOTE: For detailed specifications for fans, with table showing capacities, pressures and power requirements, see pages 17 and 18.

Duriron Equipped Buildings



The lead lines were eaten away, and it was impossible to keep tight joints in the terra cotta lines. Now, with Duriron lines, repairs and trouble are eliminated.




Butler Brothers Annex, Chicago Graham Anderson, Probst & White: Architects




United States Mint Philadelphia.

The Duriron line carrying acid wastes from the electrotyping department of Butler Brothers' Annex has been in service since 1920. This department is on the top floor, and they have been entirely free from leakage which might cause enormous damage to the merchandise stocks on the floors below. With Duriron lines installed, there is no question raised over the location of a department where acids are used.



Many U. S. Government and State buildings are Duriron equipped.



Jewellers' Exchange Building
Los Angeles
G. Albert Lansburgh, Architect

Acid wastes from the manufacturers' sinks in this building are carried in Duriron pipe. Nitric acid, which quickly destroys other materials, has no effect on Duriron.



John Herbert Phillip High School,
Birmingham Alabama.
D.O. Whilldin, Architect

This high school is one of hundreds of educational structures whose Duriron laboratory drain lines insure them from leakage for all time.


Duriron Equipped Buildings



York and Sawyer, Architects:

The Fifth Avenue Hospital is the only wardless hospital in the world. Every patient has his room, although half of these are free. All of the equipment is the best, and the drain lines from the laboratories are, of course, Duriron.

The importance of perfect sanitation in the hosiptal has resulted in widespread specification of Duriron pipe.




Transformer & Battery Station
The New York Edison Company, New York
W, Whitehill, Architect

St. Louis Post-Dispatch
Barnett, Haynes & Barnett, Architects

When The Post-Dispatch but

When The Post-Dispatch building was planned in 1916, no effort was spared to make it the model news plant of the world. This was the first newspaper to install Duriron lines from the photo engraving department. Since then hundreds of news and engraving plants have become Duriron equipped.



This great structure

— a monument to the

Straus Company— is
equipped with Duriron
drain lines that handle
the acid waste from the
battery room of the private telephone exchange.

Where permanence is especially desired, as in public buildings, memorials, etc., the certainty of Duriron's endurance makes it the most fitting specification.



16

The New York Edison Company has standardized on Duriron drain pipe, floor drains, etc., in all of its acid handling departments.

Charging and battery stations are insured of a permanent installation with Duriron, Carefully planned for the medical and dental professions, the Fitzhugh Building installed Duriron drain lines to carry the wastes from operating rooms and laboratories.


PART I-DRAINAGE

Pipe and Fittings Dimension Table

-SIZE


Size	11/2"	2"	3"	4"	6"	8"	10"	12"	15"
A	318"	45″	5 5 "	65"	81/2"	111/4"	141/4"	163/4"	20"
В	213"	3 5 "	4 5 "	5 5 "	75"	95/8"	121/4"	141/2"	17.3/4"
C	3 7 "	3 15 "	415"	515"	715"	103/4"	13¾"	16"	191/2"
D	21/8"	25/8"	35/8"	45/8"	63/4"	9"	111/4"	131/4"	16½"
E	23/8"	27/8"	37/8"	47/8"	71/8"	91/4"	115/8"	14"	17"
F	23/8"	21/2"	23/4"	3"	3"	33/8"	35/8"	37/8"	41/8'

Single Hub Pipe



Size	Length	Over All Length	Weight
11/2"	3'	3'-23/8"	18 lbs.
2"	1 4'	4'-21/2"	32 lbs.
3"	5'	5'-23/4"	59 lbs.
4"	5'	5'-3"	79 lbs.
6"	5'	5'-3"	135 lbs.
8"	5'	5'-33/8"	230 lbs.
10"	5'	5'-35/8"	380 lbs.
12"	5'	5'-37/8"	458 lbs.
15"	5'	5'-41/8"	680 lbs.

Double Hub Pipe





Size	Length	Over All Length	Weight
11/2"	3'	3'-43/4"	21 lbs.
2"	4'	4'-5"	34 lbs.
3"	4'	4'-51/2"	50 lbs.
4"	5'	5'-6"	81 lbs.
6"	5'	5'-6"	142 lbs.
8"	5'	5'-634"	253 lbs.
10"	5'	5'-71/4"	409 lbs.
12"	5'	5'-734"	497 lbs.
15"	5'	5'-81/4"	740 lbs.


IMPORTANT IN LABORATORY SPECIFICATIONS


Exact location of floor outlets in accordance with specifications should be insisted upon. If this is not done within close limits, the laboratory furniture contractor cannot properly locate his equipment.

Improper location of openings by the plumbing contractor may give an excuse to the furniture contractor to try to substitute a cheaper material, to offset the extra fitting work.









Size	11/2"	2"	3"	- 4"	6"	8"	10"	12"	15"
Weight, Lbs.	51/2	61/2	9	15	24	44	75	102	148
Dimension A	1"	1"	1"	1"	1"	2"	2"	2"	2"

ADAPTER-BELL AND FLANGE

Size	11/2"	2"	3"	4"	6"
Weight, Lbs.	7	91/2	141/2	21	30
Dimension A	21/8"	21/2"	21/2"	23/4"	3"
Dimension J	5"	6"	71/2"	9"	11"

Note: Bolt dimensions U. S. 1912 Standard.


ADAPTER—SPIGOT AND SPLIT FLANGE

Size	11/2"	2"	3"	4"	6"
Weight, Lbs.	6	9	16	24	32
Dimension A	51/4"	53/4"	7"	8"	91/2"
Dimension J	5"	6"	71/2"	9"	11"

Note: These include Split Flanges. Standard Bolt Dimensions. Larger sizes on request.


SANITARY REDUCERS

Size	Weight	A	Size	Weight	A
2"x1½"	5	5"	8"x6"	29	6"
3"x1½"	6	5"	10"x4"	42	6"
3"x2"	7	5"	10"x6"	48	6"
4"x1½"	7	5"	10"x8"	54	6"
4"x2"	8	5"	12"x6"	56	6"
4"x3"	9	5"	12"x8"	63	6"
5"x4"	12	5"	12"x10"	74	6"
6"x2"	12	5"	15"x6"	79	6"
6"x3"	13	5"	15"x8"	88	6"
6"x4"	14	5"	15"x10"	103	6"
6"x5"	18	5"	15"x12"	109	6"
8"x4"	27	6"			





SANITARY INCREASERS

Size	Weight	A	Size	Weight	A
1½"x2"	7	9"	4"x8"	43	115/8"
1½"x3"	81/2	9"	5"x6"	18	9"
1½"x4"	101/2	9"	6"x8"	50	117/8"
2"x3"	9	9"	6"x10"	70	117/8"
2"x4"	11	9"	8"x10"	82	117/8"
2"x6"	15	9"	8"x12"	100	115/8"
3"x4"	13	9"	10"x12"	115	115/8"
3"x6"	16	9"	10"x15"	134	117/8"
4"x5"	16	9"	12"x15"	160	117/8"
4"x6"	171/2	9"			




SANITARY T BRANCH






For detail of Hub and Spigot see page 8

SANITARY Y BRANCH




Size	Wt.	A	В	C	Size	Wt.	A	В	C
1½"x1½"	9	81/8"	33/4"	43/8"	8"x 4"	71	131/2"	10"	41/2
2"x1½"	10	85/8"	43/8"	43/8"	8"x 6"	87	161/2"	11"	616
2"x2"	11	9"	41/4"	43/4"	8"x 8"	105	191/2"	121/4"	71/4
3"x1½"	13	85/8"	5"	37/8"	10"x 6"	145	161/2"	121/2"	516
3"x2"	14	9"	5"	41/4"	10"x 8"	168	191/2"	14"	61/8
3"x3"	17	101/2"	51/2"	5"	10"x10"	198	221/2"	15"	75/8
4"x1½"	17	91/8"	53/4"	37/8"	12"x 8"	200	191/2"	151/2"	5"
4"x2"	18	9"	53/4"	33/4"	12"x10"	263	221/2"	161/2"	65/8
4"x3"	21	101/2"	61/4"	1 41/2"	12"x12"	292	251/2"	171/2"	81/8
4"x4"	25	12"	63/4"	51/4"	15"x 8"	286	191/2"	173/8"	37/8
6"x2"	35	9"	71/8"	23/4"	15"x10"	345	221/2"	183/8"	51/2
6"x3"	39	101/2"	75/8"	31/2"	15"x12"	405	251/2"	195/8"	7"
6"x4"	44	12"	81/8"	41/4"	15"x15"	490	30"	21"	91/8
6"x6"	52	15"	91/4"	53/4"					

SANITARY T-Y OR COMBINATION Y AND 1/8 BEND




Size	Wt.	A	В	C	E	Size	Wt.	A	В	C	E
1½"x1½"	9	81/8"	45/8"	43/8"	73/8"	4"x2"	19	9"	61/4"	311 "	83
2"x1½"	11	83/4"	45/8"	43/8"	73/8"	4"x3"	22	101/2"	7"	41/2"	91
2"x2"	12	9"	51/4"	43/4"	81/4"	4"x4"	28	12"	73/4"	51/4"	10}
3"x11/2"	14	85/8"	51/8"	37/8"	738"1	6"x2"	26	9"	71/4"	218"	81
3"x2"	15	9"	53/4"	418"	816"	6"x3"	34	101/2"	8"	31/2"	9
3"x3"	19	101/2"	61/2"	5"	916"	6"x4"	36	12"	834"	41/4"	10
4"x1½"	18	91/8"	57/8"	37/8"	81/8"	6"x6"	47	15"	101/4"	53/4"	131

SANITARY UPRIGHT Y BRANCH OR H FITTING




Size	Wt.	A	C	E	H	Size	Wt.	A	C	E	H
1½"x1½"	9	81/8"	43/8"	4"	10"	4"x2"	19	9"	311"	51/2"	11"
		834"	43/8"	41/4"	101/4"	4"x3"	22	101/2"	41/2"	6"	121
2"x2"	12	9"	43/4"	41/2"	The state of the s	4"x4"	28	12"	51/4"	61/2"	14"
3"x1½"	14	85%"	37/8"	43/4"	101/4"	6"x2"	36	9"	218"	61/2"	11"
3"x2"	15	9"	4 3 "	5"	11"	6"x3"	41	101/2"	31/2"	7"	121
3"x3"	19	101/2"	5"	51/2"	121/2"	6"x4"	46	12"	43/4"	71/2"	14"
4"x1½"	18	91/8"	37/8"	51/4"		6"x6"	56	15"	53/4"	81/2"	167

DOUBLE BRANCH SANITARY T



Size	Wt.	A	B+B	CI	Size	Wt.	A	B+B	C
1½"x1½"	11	83/8"	61/2"	634" 1	4"x 2"	20	9"	9"	7"
2"x1½"	12	81/2"	7"	634"	4"x 3"	26	10"	7"	73/2
2"x2"	14	9"	- 7"	7"	4"x 4"	33	11"	7"	8"
3"x1½"	13	81/2"	8"	634"	6"x 2"	42	9"	11"	7"
3"x2"	20	9"	8"	7"	6"x 3"	5Q	10"	11"	71/2
3"x3"	21	10"	8"	71/2"	6"x 4"	54	11"	11"	8"
4"x1½"	19	81/2"	8"	63/4" 1	6"x 6"	65	13"	11"	9"

DOUBLE BRANCH SANITARY Y




Size	Wt.	A	В	C	Size	Wt.	A	В	C
1½"x1½"	11	81/8"	334"	43%"	4"x 2"	21	9"	53/4"	311
2"x11/2"	13	85%"	436"	43/8"	4"x 3"	27	101/2"	61/4"	41/2
2"x2"	15	9"	43/4"	434"	4"x 4"	33	12"	63/4"	51/4
3"x1½"	14	856"	5"	37/8"	'6"x 2"	42	9"	71/8"	216
3"x2"	14	9"	5"	4 %"	6"x 3"	51	101/2"	75%"	31/2
3"x3"	21	101/2"	51/2"	5"	6"x 4"	55	12"	81/8"	43/4
4"x1½"	20	91/8"	53/4"	37/8"	6"x 6"	66	15"	91/4"	

DOUBLE BRANCH SANITARY T-Y


Size	Wt.	A	B+B	C	E	Size	Wt.	A	B+B	C	E
1½"x1½"	14	836"	954"	43/8"	73%" 1	4"x2"	26	9"	121/2"	3+1 "	87
2"x1½"	15	834"	91/4"	436"	73%" 1	4"x3"	30	101/2"	14"	41/2"	91
2"x2"	18	9"	-101/2"	43/4"	83/4"	4"x4"	45	12"	151/2"	53/4"	101
3"x13/2"	21	856"	1034"	37/8"	73/8"	6"x2"	44	9"	141/2"	2+6"	81
3"x2"	22	9"	111/2"	4%"	818"	6"x3"	53	101/2"	16"	31/2"	94
3"x3"	29	101/2"	13"	5"	918"	6"x4"	57	12"	171/2"	43/4"	10+
4"x1½"	24	95/8"	1134"	37/8"	81/8"	6"x6"	71	15"	201/2"	534"	13


For detail of Hub and Spigot see page 8



QUARTER BENDS


Size	11/2"	2"	3"	4"	6"	8"	10"	12"	15"
Weight	6	7	12	16	30	67	133	196	314
В	31/4"	31/2"	4"	41/2"	51/2"	61/8"	85/8"	103/8"	125/8"
C	63/4"	7"	71/2"	8"	9"	10"	12"	14"	161/2"





EIGHTH BENDS

Size	11/2"	2"	3"	4"	6"	8".	10"	12"	15"
Weight	5	7	9	13	25	50	112	137	215
В	15/8"	17/8"	23/8"	27/8"	31/4"	316"	41/8"	41/4"	51/8"
C	55/8"	51/4"	576"	516"	616"	818"	91/4"	95/8"	103/4"




SIXTEENTH BENDS

Size	Wt.	В	C
11/2"	41/2	1"	41/2"
2"	6	11/8"	45/8"
3"	9	11/4"	416"
4"	12	13/8"	413"
6"	17	11/2"	5"


For detail of Hub and Spigot See Page 8

LON	G SWE	EP QUA	RTER
Size	Wt.	В	C
11/2"	10	81/4"	113/4"
2"	12	81/2"	12"
3"	19	9"	121/2"
4"	28	91/2"	13"
6"	50	101/2"	14"




VENT BRANCHES

Size	Wt.	A	В	C
3"x2"	14	83/8"	71/2"	5"
3"x3"	18	10"	71/2"	51/2"
4"x2"	18	11"	8"	51/2"
4"x3"	20	11"	8"	6"
4"x4"	26	11"	8"	61/2"
6"x3"	32	13"	9"	7"
6"x4"	33	13"	9"	71/2"
6"x6"	43	13"	9"	81/2"



DOUBLE QUARTER BENDS


Size	Wt.	B+B	C
11/2"	11	61/2"	63/4"
2"	12	7"	7"
3"	17	8"	71/2"
4"	25	9"	8"
6"	40	11"	9"



SANITARY RUNNING TRAP—NO VENT*


Size	Weight	A	D
11/2"	9	121/8"	4"
2"	13	131/2"	41/2"
3"	21	151/2"	51/2"
4"	40	171/2"	61/2"
6"	48	211/2"	81/."

Minimum Depth of Seal on Traps is 21/2".



SANITARY RUNNING TRAP-SINGLE HUB VENT* (Showing Cleanout)


Size	Weight	Vent	A	В	D	Е	G
11/2"	13	11/2"	121/8"	17/8"	4"	17/8"	21/4
2"	17	2"	16"	21/2"	41/2"	21/2"	21/2
3"	27	3"	181/4"	3"	51/2"	31/1"	3.9
4"	43	4"	201/2"	31/2"	61/2"	31/2"	4-1
6"	60	. 4"	241/2"	41/2"	81/2"	41/1"	51





SANITARY RUNNING TRAP-DOUBLE HUB VENT*


Size	Weight	Vent	A	В	D	E	F
11/2"	16	11/2"	121/8"	17/8"	4"	17/8"	43/4"
2"	19	2"	131/2"	21/2"	41/2"	21/2"	51/4"
3"	32	3"	151/2"	3"	51/2"	31/4"	61/4"
4"	45	4"	171/2"	31/2"	61/2"	31/2"	71/4"
6"	68	4"	211/2"	41/2"	81/2"	41/4"	81/4"
8"	187	6"	267/8"	45/8"	11"	41/4"	12"
10"	338	6"	335/8"	51/2"	133/8"	53/4"	16"
12"	464	8"	367/8"	61/8"	16"	65/8"	19"
15"	786	8"	445/8"	61/8"	191/4"	81/8"	25"


*All traps are furnished with or without cleanout.











For detail of Hub and Spigot see page 8

SANITARY P TRAP (OR 1/2 S TRAP)—NO VENT*

Size	Weight	A	В	D
11/2"	8	101/4"	23/8"	4"
2"	11	11"	3"	41/2"
3"	19	121/2"	41/4"	51/2"
4"	27	14"	51/2"	61/2"
6"	3.5	17"	81/2"	81/2"

SANITARY P TRAP (OR 1/2 S TRAP)—HUB VENT*

Size	Weight	Vent	A	В	C	D	E
11/2"	12	11/2"	101/4"	23/8"	61/8"	4"	15/8"
2"	15	2"	11"	3"	61/4"	41/2"	21/4"
3"	24	3"	121/2"	41/4"	61/4"	51/2"	3"
4"	38	4"	14"	51/2"	7"	61/2"	31/4"
6"	54	4"	17"	81/2"	8"	81/2"	4"

SANITARY S TRAP-NO VENT*


Size	Weight	A	В	C	D
11/2"	9	51/8"	23/8"	7"	4"
2"	14	51/2"	3"	8"	41/2"
3"	22	61/4"	41/4"	10"	51/2"
4"	32	7"	51/2"	12"	61/2"
6"	46	9"	81/2"	16"	81/2"


SANITARY S TRAP—HUB VENT*


Size	Weight	Vent	A	В	C	E	F
11/2"	13	11/2"	83/8"	23/8"	7"	31/4"	41/8"
2"	16	2"	91/4"	3"	8"	33/4"	43/4"
3"	28	3"	101/2"	41/4"	10"	41/4"	61/4"
4"	39	4"	111/4"	51/2"	12"	41/4"	7"
6"	57	4"	13"	81/2"	16"	4"	9"

NON-SYPHON P TRAP

Plate	A	В	C	D	E
7268	11/2"	8"	41/2"	63/4"	61/4"
7269	2"	8"	51/2"	83/4"	83/4"








DRUM TRAPS


Plate	Size	Weight	A	В	D	E	G
5872	11/2"	16	65/8"	41/4"	41/2"	17/8"	33/8"
5856	2"	22	73/4"	5"	41/2"	21/4"	3 76"
5872-A	1½"	14	121/4"	41/4"	41/2"	17/8"	33/8"
5856-A	2"	20	133/4"	5"	41/2"	21/4"	3 16"
5498	11/2"	27	11"	25/8"	4"	93/8"	23/8"
6165	2"	31	113/8"	21/2"	41/2"	101/8"	25/8"

^{*}All traps are furnished with or without cleanout.



CENTRIFUGAL DRUM TRAP (Non Syphon)

Plate	Size	Weight	A	В	D	E	G
5993	11/2"	23	161/2"	73/4"	4"	33/4"	81/2"
5993-A	11/2"	29	241/2"	153/4"	4"	113/4"	81/2"
6303	2"	38	201/4"	121/2"	51/2"	33/4"	11"
6303-A	2"	44	281/4"	201/2"	51/2"	113/4"	11"



SINK OUTLETS

Sink Outlet Plate 5588 is for use with wood, stone or metal sinks. It is to be bedded in proper acid-proof cement (such as a mixture of litharge and glycerine) and is fastened tightly by means of the lock nut. 11/2" or 2" size.

Plate 6985 (for porcelain sinks).






PLATE 6985





SINK OVERFLOWS

(To fit Outlet Plate 5588, as in drawing 5692-5692-A)

Plate	Height	Weight	Type
5962	9" max.	4	Open End
7032	81/2"	4	Open End
5692	51/2"	2	Bee Hive
5692-A	10"	4	Bee Hive

Plate 7032 is standard for New York City Schools.

PLATE 5962

Except in extremely severe conditions we recommend the use of standard brass screwed cleanout plugs, since Duriron cannot be threaded. Inasmuch as these plugs are always exposed, they can be replaced readily if eaten out.

Size	11/2"	2"	3"	4"	6"
Weight	2	21/2	61/2	11	14

DURIRON CLEANOUT PLUGS WITH BOLTED

COVER

LONG SINK TRAPS

These Sink Traps may also be furnished with flared end for stand- 1/2"-PLATE 5419-A ard sink coupling at same price as 2"-PLATE 7075 bell end shown.




Plate	Size	A	В
5419-A	1 1/2"	63/4"	41/2"
7075	2"	73/4"	5"

DURIRON ROPE ASBESTOS PACKING

The Duriron Asbestos Packing is made from commercially pure asbestos, and is treated with special materials to make it most desirable for acid service. So that the correct amount may be calculated for the work, the following table of the requirements per joint is given.

Size of Pipe	11/2"	2"	3"	4"	6"	8"
Weight in Lbs., per Joint	0.14	0.16	0.22	0.26	0.35	0.44
Length in Inches	10	12	16	19	26	33

One hundred feet (1200 inches) of this packing weighs 16 pounds.


In the packing of a joint, in order to make sure that there is no open space left when this packing is put in the bottom of the bell or hub, we recommend that the packing be separated into two or three strands and laid in so that the ends will overlap, and surely make a joint all the way round.

The amounts of packing given above, when caulked in tightly, fill up the bell or hub from 1½" to 1¾" from the top, which space is left for the lead backing.

Josam-Duriron Floor Drains

The highly efficient Josam type of floor drain (patented) is now produced in Duriron. Where floor drains must handle acids, it is now possible to have the combined advantage of this design with the material that is not affected by acid contact.

These are furnished with 2", 3", 4" and 6" outlet. The strainer plate in all sizes is 77%" diameter. They are produced in two types shown here. Type No. 5500 is to be used where there is no floor membrane. No. 5501 where there is a floor membrane. The principle embodied in this type of floor drain entirely prevents any chance of seepage.







Plate No. 5500

Plate No. 5501




Josam-Duriron Combination Drain and Trap

Plate	Size	A
7081-A	11/2"	37/8"
7081-B	2"	35/8"

Plate	Size Outlet
5500-2	2"
5500-3	3"
5500-4	4"
5500-6	6"

	Plate	Size Outle
	5501-2	2"
-	5501-3	3"
-	5501-4	4"
	5501-6	6"

Duriron Sinks-Flat Rim






Plate	Weight	A	В	C	E
5851	72	16"	14"	8"	53/8"
5852	103	24"	16"	8"	576"
5853	120	28"	16"	7"	578"
5964	73	17"	9"	10"	81/2"
5172-D	240	371/2"	19"	73/4"	71/4"
5172-C	300	38"	191/2"	103/4"	73/4"


Hemispherical Laboratory Sinks

Plate	A	В	C .	D	H	M
5649	5"	5"	11"	61/4"	3/8"	21/4
6467	6"	6"	12"	71/2"	1/2"	21/4
5850	8"	41/2"	101/2"	91/2"	1/2"	23/4
5850-11/2	8"	41/2"	101/2"	91/2"	1/2"	21/4
7332-11/2	12"	6"	12"	131/2"	5/8"	21/4

STEEL BRACKETS FOR SINKS

(Painted Black)


Size	To Fit Sink	A	В
1	5851	161/8"	145/8"
2	5852	241/8"	165/8"
3	5853	281/8"	165/8"
4	5964	171/8"	95/8"
5	5172-D	375/8"	195/8"
6	5172-C	381/8"	201/8"



DILUTION OR CATCH BASINS

Duriron Dilution or Catch Basins are produced in various sizes and forms. The requirements for these vary so widely that we show here only a typical Basin and Cover. The outlets to this style may be changed to suit.

Plate	Weight	A	В	C	D	E
5762	810	381/4"	213/4"	141/2"	151/2"	73/6"



DEPARTMENT OF COMMERCE—BUREAU OF STANDARDS

Report on Corrosive Tests on Duriron

April 24, 1920. Duration of Tests, 120 Days

Solution	Concentration in % by Wt.	Original Wt. in Gms.	Loss in Wt. in Gms.	% Loss	Depth o Corrosion Inches per Yea	
Sulphuric Acid	95% H ₂ SO ₄	116.5601	.008	.007	.0000206"	
Sulphuric Acid	25%H2SO4	109.5050	.018	.016	.0000463"	
Sulphuric Acid	10%H2SO4	103.4191	.026	.025	.0000685"	
Nitric Acid	70%HNO3	108.7927	.007	.006	.0000188"	
Nitric Acid	25%HNO3	108.4709	.008	.007	.0000206"	
Nitric Acid	10%HNOs	110.4582	.000	no loss	None	
Hydrochloric Acid	5%HCL	106.1607	1.234	1.162	.00324"	
Acetic Acid	99%CH3COOH	111.9367	.007	.006	.0000188"	
Phosphoric Acid	87%H3PO4	111.7125	.007	.006	.0000188"	
Phosphoric Acid	25%H3PQ4	113.7571	.011	.010	.0000292"	
Phosphoric Acid	10%H3PO4	111.3789	.009	.008	.000024"	
Oxalic Acid	7.9%(COOH)2.2H2O	112.9180	.016	.014	.0000412"	
Oxalic Acid	2.1%(COOH)2.2H2O	109.4271	.014	.013	.000036"	
Aluminum Potassium Sulphate	15%Al2(SO4)3K2SO4.24H2O	114.4460	.007	.006	.0000188"	
Picric Acid	9.1%OH.C6H2(NO2)3	103.9213	.005	.005	.0000137"	
Copper Sulphate	25%Cu.SO4.5H2O	117.8332	.009	.008	.0000223"	
Ammonium Chloride	27%NH4CL	103.1788	.037	.026	.0000977"	
Ferric Chloride	48%Fe2CL6	111.2925	.015	.013	.0000395"	
Ferric Chloride	7%Fe2CL8	113.6637	.018	.016	.0000463"	
Oleic Acid	Commercial Oleic	108.9583	.003	.003	.00000857"	

The column above, "Depth of Corrosion, Inches per Year," was worked out so that the practical permanence of Duriron may be readily visualized.

15

PART II—VENTILATION

Duriron Acid-Proof Exhaust Fans

For the ventilation of laboratory hoods, pickling rooms, and other places from which it is necessary to remove corrosive fumes, an exhauster should be provided that will not be affected in any part by the gases it handles.

Duriron fans are especially designed with this object in view.

Being cast from an acid-proof metal in all parts coming in contact with the fumes, they require no protective lining or coating, and are permanently free from attack by corrosion.

They are compact and sturdy, with runner carefully designed for the best efficiency, and require no attention beyond an occasional oiling of the bearings.

The capacity tables on pages 17 and 18, give volume and brake horse power of the various sizes, over the range of speeds at which they will operate with economy.

Since it is possible for a fan to deliver more or less air at the same static pressure, due to variations in pipe sizes, bends, etc., the table shows total pressures under the various conditions. The total pressure remains constant for any given speed, and is the sum of the static pressure and velocity pressure.

The capacity table shows the actual brake horse power consumed by the fan under test conditions. Because the impeller is mounted directly on the

motor shaft, the three smaller sizes are equipped with oversize motors.

This makes possible more rugged construction, reduces vibration to a minimum, and eliminates motor trouble.

DESIGN OF AN ACID VENTILATING SYSTEM

For any ventilating system it is good practice to design the piping so that the velocity in the ducts will not exceed thirty feet per second.

For particularly noiseless installations the velocity should be kept well below this figure. The same consideration governs the selection of a fan. Lower speed means less wear and quieter operation.


SELECTING A FAN FOR A CHEMICAL HOOD

Experience has shown that all fumes will be prevented from escaping into the laboratory when an inward velocity of sixty feet per minute is maintained through all openings in the hood.


For the usual school or college laboratory a velocity of forty feet per minute is ample. The size of the fan, therefore, will depend on the method of use of front doors, amount of leakage into hood, etc.

ARRANGEMENT OF DUCTS

Where possible, the minimum radius of bends in piping should equal diameter of the pipe, and the number of bends should be kept as low as possible. Care should be used to avoid sharp corners at entrance to suction pipes. When drawing fumes from a hood, the edges of the opening in the hood should be widely flared, and the pipe should not extend into the hood.



DURIRON FAN No. 150-A



DIMENSION DRAWING FAN No. 150-A

REQUIREMENTS FOR VENTILATION

For thorough ventilation of a laboratory, pickling room, or other place where poisonous fumes are present, the air should be completely changed about every one and a half minutes. For less severe conditions, an air change once in four to six minutes will generally be satisfactory.

Provision should be made for an inlet into the room of an equal amount of air to that being exhausted.

TABLE ONE

A		B*	C	D**	E	F	G
CAPACITY IN CUBIC FEET PER MINUTE	PRESSURE INCHES OF	INCHES		SPEED R. P.M.	DIAM OF SUCTION INCHES		DIAM OF DUCTS INCHES
62	3/32	3/16	1/6	14 50	3	3	3
75	1/8	1/4	1/6	1740	3	3	3
300	1/4	3/8	1/2	1160	6	6	6
375	3/8	9/16	1/2	14.50	6	6	8
450	9/16	15/16	1/2	1740	6	.6	8
1300	15/16	3/32		11.60	12	12	12
1600	13/8	15/8	1,	1450	12	12	14
1900	2	2/16	1/2	1740	12	12	14
3200	13/16	1/8	2	1160	16	15	18
3850	1/4	1 1/16	5	1450	16	15	20
4800	113/16	21/2	5	1740	16	15	22

TYPICAL FAN SPECIFICATIONS

The following form of specification may be used with the assurance that the fan furnished thereunder will give the maximum of service under the most severe conditions.

To use this form it is only necessary to decide on the capacity wanted, locate it in column "A" of "Table One" above; then to fill in the blank spaces with the quantities in the appropriate columns on the same line of this table.

(More complete information as to the performance of the Duriron fans will be found under "Capacity Tables" on the page following.)

"Contractor will furnish and install exhaust fans for removing fumes from

"Such fans are to be located as shown on drawings, and shall be so designed and constructed that all parts exposed to the fumes passing through them shall be made of a cast alloy of iron equal to **Duriron** as made by The Duriron Company, Inc., Dayton, Ohio, and showing the following analysis:


Siliconabove	14.25%
Carbonbelow	TOTAL CARRY NAME OF THE PARTY
Manganesebelow	0.50%
Sulphurbelow	
Phosphorusbelow	


"Each fan shall have a capacity of (A) cubic feet of air per minute at a total pressure of (B) inches of water.

"Each fan shall be direct connected to a (C) horse power (....cycle,phase,volts, alternating current) (....volt, compound wound, direct current*** motor), having a full-load speed of (D) revolutions per minute.**

"The size of fan suction opening shall be (E) inches diameter, and of the discharge opening (F) inches diameter, connecting to main suction and discharge pipes (G) inches diameter.

"A layer of compressed cork flooring, or other approved material, shall be placed under each fan and motor, foundation bolts passing through said cork or other material, each foundation bolt provided with a cork or other approved washer."





^{*}Total pressure is the sum of static pressure and velocity pressure. Total pressure remains constant at a given speed, while static pressure may vary with pipe conditions.

^{**}When using alternating current bear in mind that the speed varies with the cycles of the current. Speeds of 1160 and 1740 are standard for 60 cycles; 1450 r. p. m. for 25 or 50 cycles.


^{***}Starting rheostat is required on direct current motors of ½ H. P. and over.

HIGH PRESSURE DURIRON FAN IMPELLER

(See page 19)

HOW TO USE FAN TABLES

Since Duriron fans may be had in belt driven type, the tables below give full data on their performance over the range of economical speeds. A note beneath table gives the method of converting to static pressure. For example, the No. 45 will give 200 ft. per minute against a static pressure of 1 in. of water, when operated at 1498 r.p.m.



HOOD OUTLET PLATES- 6926-A -7055-7056

DURIRON HOOD OUTLET

See illustration of Duriron equipped laboratory hood on page 19. The dampers are lettered "C-C" in the illustration.

Plate			
Number	7055	6926-A	7056
A	-3" -	4"	6"
В	37/8"	47/8"	71/8"
C	51/4"	67/8"	10"
D	31/2"	41/2"	65/8"
F	1"	1"	1"
G	17/8"	23/8"	3 7 "
J	43/8"	53/4"	85/8"
M	75/8"	71/8"	121/8"

CAPACITY TABLES

Nº 45 FAN

VOLUME	OUTLET	T.P. 1/8"	T.P.	4	T.P. 3/8"	T.P.	/2"	T.P.	8"	T.P. 3/4	"	T.P. 1/8"	T.P.1"	T.P.I	1/8"	T.P. I	4	T.P.I	/z"
VOLUME	VELOCITY	R.P.M. B.H.P.	R.P.M.	B.H.P.	R.P.M. BH.P.	R.P.M.	B.H.P.	R.P.M.	B.H.P.	R.P.M. B.	H.P.	R.P.M. B.H.P.	R.P.M. B.H.P.	R.P.M.	BHP.	R.P.M.	B.H.P.	R.P.M.	B.H.P.
100	510	830 0.01	918	10.0	1000 0.01	1080	0.02	1157	0.02	1250 0	02	1330 0.03	1420 0.03	1510	0.04	1590	0.04	1720	0.05
150	760	832 0.01	920	0.02	1003 0.02	1082	0.02	1160	0.02	1252 0.	03	1335 0.03	1425 0.04	1512	0.05	1592	0.05	1725	0.06
200	1020	860 0.02	951	0.02	1028 0.02	1105	0.03	1189	0,03	1268 0.	.04	1360 0.04	1450 0.05	1537	0.06	1613	0.07	1740	0.07
250	1280	917 0.02	1008	0.02	1086 0.03	1160	0.04	1240	0.04	1320 0.	.05	1418 0.06	1498 006	1580	0.07	1653	0.08		
300	1530	988 0.03	1079	0.04	1160 0.04	1233	0.05	1308	0.05	1392 0	06	1482 0.07	1555 0.08	1635	0.09	1700	0.10		
350	1810		1160	0.05	1242 0.05	1315	0.06	1395	0.07	1475 0	.07	1557 0.08	1626 0.10	1700	011	1770	0.13		
400	2040					1415	0.07	1496	0.08	1570 0.	.09	1642 0.10	1708 0.12	1760	0.14				
420	2140					1450	0.08			1610 0	10	1680 0.11	1740 0.13						

Nº 150-A FAN

VOLUME	OUTLET	TP. 1/4"	T.P.	/2"	T.P.3/4"	T.1	? ["	T.P.I	4"	T.P. 1/2	4	T.P.1%	T.P. Z	2"	T.P. Z	21/4	T.P.2	1/2"	T.P.Z	4"
ANTOINE	VELOCITY	R.P.M. B.H.P.	R.P.M.	B.H.P.	R.P.M. B.H		I. B.H.P.	the second section of the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the section of t				R.P.M. BH.P.						B.H.P.	R.P.M.	B.H.P.
200	255	650 0.08	790	0.12	915 0.1	6 102	5 0,23	1130	0.25	12340	129	1333 0.34	1438	0.39	1531	0.46	1628	0.52	1712	0.60
400	510	660 0.08	800	0.12	925 0.1	6 103	2 0.23	1138	0.25	1245 0	1.30	1340 0.35	1447	0.39	1538	0.47	1634	0.54	1716	0.62
600	765	680 0.10	815	0.14	936 0.1							1350 038						0,60	1722	0.72
800	1020	700 0.13	830	0.17	954 0.2							1367 0.43						0.72	1730	0.87
1000	1275	725 0.17	855	0.23	977 0.2	7 107	9 0.33	1179	0.40	1295 0	145	1388 0.52	1490	0.61	1578	0.74	1663	0.88	1741	1.05
1200	1530	765 0.23		0,29								1415 0.65						1.05		
1400	1785	820 0.30	940	0.37								1453 0.80								
1600	2040	880 0.39	1000	0.46	1096 05	4 119	0 061	1300	0.72	1400 0	.84	1500 0.97	1584	1.11	1655	1.30	1724	1.50		
1800	2295		1070	0.56	1162 0.6	5 125	6 0.75	1360	0.87	1455 1.	.01	1549 1.15	1625	1.32	1691	1.50				
2000			1150	0.65	1240 0.7	8 133	5 0.90	1432	105	1520 1.	.18	1602 1.35	1670	1.56	1731	1.78				
2200	2805					142	1 1.15	1509	1.22	1590 1.	.38	1658 1.56	1720	1.77						

Nº450 FAN

MALLIME	OUTLET	T.P. 1/2"	T.P.	4"	T.P.	1"	T.P.1/4"		T.P. 1/2"		T.P.13/4"		T.P. Z*		T.P.Z'4"		T.P. 21/2"		T.P. 3"		T.P. 3	5/z"
VOLUME	VELOCITY	R.P.M. B.H.P.	R.P.M.	B.H.P.					R.P.M.					B.H.P.	R.P.M.	B.H.P.	R.P.M.	B.H.P.	R.P.M.	B.H.P.	R.P.M.	B.H.P.
500	407	628 0.12	775	0.27	928	0.35	1027	0.45	1110	0.60	1186	0.70	1264	0.85	1332	1.00	1400	1.15	1533	1.45	1650	1.80
1000	814	633 0.16		_	942	0.45	1032	0.53	1119	0.68	1191	0.80	1268	0.97	1337	1.10	1405	1.25	1539	155	1653	200
1500	1221	650 0.25		_	964	0.55	1048	0.64	1133	0.80	1204	1.00	1273	1.15	1348	1.30	1416	1.50	1550	1.80	1662	2.25
2000		681 0.45	831	0,60	995	0,72	1080	0.85	1160	1.05	1232	1.25	1310	1.43	1370	1.60	1440	1.75	1565	2.15	1678	2.65
2500	2035		872	0.85	1038	1.00	1122	1.20	1196	1.32	1270	1.60	1347	1.75	1403	1.95	1468	215	1588	2.60	1700	3.15
3000	2442				1094	1,35	1177	1.50	1243	1.75	1320	2.00	1389	2.18	1446	2.35	1506	260	1625	3.15	1734	3.70
3500	2849				1160	1.75	1240	2,00	1300	2.20	1373	245	1443	2,65	1497	2.90	1557	3.10	1570	3.75		
4000	3256								1362	2.75	1435	300	1500	3.25	1558	3.50	1612	3.75	1730	445		
4500	3663								1430	3.30	1500	3.70	1570	395	1626	4.25	1688	450				
5000	4070																1760					


ABOVE TABLES GIVE TOTAL PRESSURE. TO USE WITH STATIC PRESSURE - DEDUCT FROM INDICATED CAPACITY 50 CU.FT. FOR No.45 FAN, 350 CU.FT. FOR No. 150-A FAN, 600 CU.FT. FOR No. 450 FAN.

All Duriron Exhaust Fans except No. 12 (3" suction and discharge) may be furnished for belt drive if desired.

HIGH PRESSURE TYPE OF FAN IMPELLERS

The design of the Duriron Fan Impellers is a radical change from the radial vane type commonly used in exhausters.

This design was adopted after careful tests, using both types in the same casing; and it was proven both to be stronger than the radial vane type, and more efficient.



DIMENSION DRAWING FAN No. 450

This phantom view of a laboratory fume hood illustrates the completeness and the carefully worked out detail of Duriron equipment that greatly improves operating conditions.

A hood equipped as in the illustration operates with no escape of noxious gases into the laboratory.

The exhaust fan draws the fumes from the collector box "D."

The draft is regulated by the dampers "C-C" in the hood outlet. (See dimensioned drawing on page 18.)

By providing a sliding damper in the bottom of collector box it is possible to produce draft in the bottom of hood through the Duriron draft tubes "A-A," thus removing the heavy gases immediately.

The small hemispherical sinks "B-B" are a great convenience in the hood. Fuming liquids are dashed in these without carrying to an outside sink. These sinks will of course withstand the action of hot and undiluted acids encountered in this service. (See dimensions of these on page 14.)

The great increase in the use of corrosive acids and alkalis in educational laboratory work results in a corresponding need for the most resistant of materials to eliminate heavy upkeep .charges.



DURIRON EQUIPPED LABORATORY HOOD

A Partial List of Architects and Engineers Who Have Specified Duriron

ALABAMA

William L. Denham D. O. Whilldin

ARIZONA

J. B. Lyman

CALIFORNIA

Allison & Allison J. C. Austin W. Horace Austin George Atkins Charles H. Biggar Edwin Bergstrom Binder & Curtis Charles W. Dickey . J. Donovan R. C. Farrell Farrell & Miller Thomas C. Kistner Krempel & Erkes F. G. Krucker E. J. Kump Company G. Albert Lansburgh Leland & Haley N. F. Marsh Mott M. Marston George B. McDougall Henry H. Meyers R. H. Orr Russell & Alpaugh Reed & Corlett Sauter & Lockard W. P. Shepherd Truesdell, Purinton & Newton W. H. Weeks Wells & Cass G. Stanley Wilson

COLORADO

MacLaren & Hetherington

CONNECTICUT

Caldwell, Walker & Beckwith

DISTRICT OF COLUMBIA

Snowden Ashford R. F. Beresford

FLORIDA

F. H. Trimble

GEORGIA

William J. J. Chase Edwards & Sayward Hentz, Reid & Adler Lockwood, Greene & Co. Roberts & Co. Wallin & Comer

ILLINOIS

. A. Chiaro John D. Chubb John C. Christensen Davidson & Weiss Graham, Anderson, Probst & White Halperin & Braun Holabird & Roche John Howatt Iarvis Hunt Scott Joy I. C. Llewellyn Joseph McCarthy . A. F. Moratz & Co. Peterson & Johnson Shankland & Pingrey Schmidt, Garden & Martin J. D. Small H. H. Von Holst

INDIANA

Johnson, Miller & Miller William E. Russ IOWA

W. J. Brown
Dougher, Rich & Woodburn
Eugene F. Gier
William Gordon
Proudfoot, Bird & Rawson
H. E. Reimer

KANSAS

Lorentz Schmidt & Co.

KENTUCKY

Arthur Tafel

LOUISIANA

C. Scott Yeager Theo. C. Link

MAINE

Harry S. Coombs

MARYLAND

Henry Adams
E. H. Glidden
James Posey
Owens & Sisco
Parker, Thomas & Rice
Chas. L. Reeder
Sill-Buckler & Fenhagen

MASSACHUSETTS

Allen & Collens
Bigelow & Wadsworth
Desmond & Lord
W. C. & G. C. Gardner
E. P. T. Graham
Thomas M. James Company
Richard D. Kimball Company
Maginnis & Walsh
Ritchie, Parsons & Taylor
Stone & Webster
Edward L. Wilson

MICHIGAN

Andrew Clubb
Cowles & Mutscheller
Donaldson & Meier
Albert Kahn
R. A. LeRoy
Malcomson, Higginbotham & Palmer
McColl, Snyder & McLean
Smith, Hinchman & Grylls
H. H. Turner
Williamson, Crow & Proctor

MINNESOTA

W. T. Bray
Gaarder & Gaarder
German & Jenssen
Holstead & Sullivan
Chas. L. Pillsbury
Tyrie & Chapman

MISSOURI

Barnett, Haynes & Barnett J. F. Jameson Owen, Payson & Carswell Chas. A. Smith

NEBRASKA

Clarke & Clarke
A. H. Dyer
Fiske & Meginnis
John Latenser & Son
Chas. W. Wurdeman

NEW JERSEY

C. V. R. Bogert Guilbert & Betelle John T. Rowland V. B. Smith

NEW YORK

Carl C. Ade Associated Architects of Buffalo Donn Barber Beck & Tinkham George & Edward Blum Buchman & Kahn Clark, MacMullen & Riley G. H. Chamberlain Coffin & Coffin Delano & Aldrich N. L. Englehardt C. P. H. Gilbert William S. Gregory Dr. S. S. Goldwater Bertram H. Goodhue William H. Gompert Gordon & Kaelber Harry M. Haskell Hyde & Shepherd Johnson & Ford Sullivan W. Jones Jaros & Baum Lockwood, Greene & Co. T. C. Lacey & Son Magusen & Kleinert McKenzie, Vorhees & Gmelin McKim, Mead & White Thomas E. Murray, Inc. Niles & Daly Werner Nygren Pierce & Bickford Patton & Blair Renwick, Aspinwall & Tucker Rogers & Smith J. M. Ryder A. W. E. Schoenberg Timmis & Chapman Leon Stern Visscher & Burley W. Whitehill York & Sawyer

NORTH CAROLINA

Nelson & Cooper W. G. Rogers E. G. Stillwell

OHIO

Ray P. Barber Hubbell Bennes Company DeVoss & Donaldson Fosdick & Hilmer Edwin M. Gee W. P. Ginther F. F. Glass H. R. P. Hamilton Hermann & Brown O. D. Howard Howell & Thomas Jos. E. Lowes, Inc. W. R. McCornack Thomas D. McLaughlin Miller & Son Mills & Millspaugh W. H. Nicklas The Owsley Company Frank L. Packard Fred J. Porter W. E. Prindle Company Pretzinger & Musselman T. R. Ridley Richards, McCarty & Bulford Granville, E. Scott Schenck & Williams J. F. Sheblessy Frank Hill Smith R .L. Silsbee Walker & Norwick Franz C. Warner

OREGON

A. E. Doyle Raymond Hatch Jay Keller Knighton & Howell

PENNSYLVANIA

Ballinger Company Boyd Abel & Gugert C. W. Bolten & Sons Carlisle & Sharrer J. D. Cassell Paul A. Davis, 3rd, & Dunlap F. Ferdinand Durang W. G. Eckles I. Hathaway Francis Heacock & Hokanson Ingham & Boyd Paul Irwin F. F. Kauffman A. E. Kinzey Maurice E. Kressly Edward Langley Lawrie & Green Michler & Snyder Julian Millard Frederick A. Muhlenberg O. Randolph Parry E. G. Perrot E. H. Poggi D. G. Puderbaugh Ritchie & Eiler E. Z. Scholl George Schwan James T. Steen & Son Simon & Simon J. T. Windrim Clarence E. Wunder F. C. Vogan

RHODE ISLAND

R. C. N. Monahan

SOUTH CAROLINA

Casey & Fant A. D. Gilchrist C. G. Sayre

SOUTH DAKOTA

Perkins & McWayne

TENNESSEE

D. R. Beeson R. H. Hunt & Co. C. F. Jones W. H. Sears

TEXAS

A. C. Finn Herbert M. Greene Company

VIRGINIA

Carneal & Johnston B. F. Mitchell

WASHINGTON

Doyle & Merriam
John Graham
William Mallis
F. A. Naramore
Whitehouse & Price
Wohleb & Stanley

WISCONSIN

A. W. Eschweiler
Foeller, Schober & Stephenson
Kirchoff & Rose
Scott & Mayer
F. J. Stepnoski
Van Ryn & DeGelleke

CANADA

F. Neil Brodie S. S. Kennedy Col. J. N. Senmens Stevens & Lee W. H. Wardwell

A Geographical Selection of Duriron Installations of Drain Pipe and Fans

ALABAMA

Alabama Polytechnic Inst., Auburn High School, Tuscaloosa Phillips High School, Birmingham Age-Herald, Birmingham Southern Cotton Oil Company, Montgomery State Fertilizer Laboratory, Auburn

CALIFORNIA

Fremont High School, Los Angeles Gonzales High School, Salinas High School, Burbank High School, Calipatria High School, Corona High School, Downey High School, Esparto Kern County High School, Bakersfield Mt. Diablo High School, Concord Polytechnic High School, Santa Ana Pomona College, Claremont Roosevelt High School, San Diego State School for Girls, Ventura State Teachers College, San Diego Tulare County High School, Tulare Union High School, Oakdale Union High School, Tustin University High School, Oakland University of California, Berkeley Venice High School Alameda Co. Public Health Center Hollywood Hospital, Hollywood San Jose Hospital, San Jose Seaside Sanitarium, Long Beach American Electrotype & Eng. Co. American Engraving & Colorplate Co. Bryan Brandenburg Company, Los Angeles B. W. Burridge Company, San Francisco Chronicle, San Francisco Fitzhugh Building, San Francisco Ford Motor Co., San Francisco Jewelers' Exchange Building, Los Angeles Los Angeles Examiner Los Angeles Rubber Stamp Company Mutual Dairy Building, Los Angeles Neuner Corporation, Los Angeles San Francisco Daily News San Jose Engraving Company State Testing Laboratory, Sacramento Standard Oil Building, San Francisco.

CONNECTICUT

American Hardware Corp., New Britain Chase Metal Works, Waterbury Eastern Malleable Iron Co., Union City Naugatuck Chemical Co., Naugatuck High School, Bristol S. L. & G. H. Rogers, Hartford Waterbury Mfg. Co., Waterbury Yale University, New Haven

COLORADO

The Post, Denver South Junior High School, Colorado Springs West Junior High School, Colorado Springs United States Mint, Denver

DISTRICT OF COLUMBIA

Eastern High School, Washington
Evening Star, Washington
National Engraving Co., Washington
Standard Engraving Co., Washington
U. S. Appraisers Stores
U. S. Department of Agriculture

FLORIDA

High School, Orlando Ford Motor Co., Jacksonville Times Union, Jacksonville

GEORGIA

Agnes Scott College, Decatur
American Bakeries Corp., Atlanta
Boys' High School, Atlanta
Buckeye Cotton Oil Co., Atlanta
Consolidated School, Montezuma
Constitution, Atlanta
Georgia School of Technology, Atlanta
High School, Brunswick
Law & Co., Cordele
Shuey & Co., Savannah
Southern Cotton Oil Co., Savannah
State Fertilizer Laboratory, Atlanta
Swift Fertilizer Works, Atlanta

IDAHO

High School, Bonner's Ferry High School, Sand Point

ILLINOIS

Advance Engraving Co., Chicago Beck Engraving Co., Chicago Butler Brothers, Chicago Chicago Band Instrument Co., Chicago Commonwealth Edison Co., Chicago Continental Can Co., Chicago Federal Engraving Co., Chicago Hibbard School, Chicago Illinois Steel Co., Chicago International Harvester Co., Chicago High School, Maywood High School, LaGrange Michael Reese Hospital, Chicago National Lock Co., Rockford Postal Engraving Co., Chicago Rand-McNally Co., Chicago Rosary College, River Forest Rockford Junior High School, Rockford St. Mary's Seminary, Area Straus Building, Chicago Tilden High School, Chicago Tribune Building, Chicago Union Electric Co., East St. Louis Western Electric Co., Chicago

INDIANA

Daily Times, Indianapolis
Fire Alarm Building, Terre Haute
General Electric Co., Ft. Wayne
Lehman Engraving Co., South Bend
Martinsville High School
Newport High School
Purdue University, Lafayette
Rose Polytechnic Inst., Terre Haute

IOWA

High School, Bloomfield
High School, Chariton
High School, Clarinda
High School, Corydon
High School, Ft. Madison
Lake City School, Des Moines
Lincoln High School, Des Moines
Roosevelt High School, Des Moines
State Center High School
Willard Battery Station, Ft. Dodge

KANSAS

High School, Wichita

KENTUCKY

DuPont M. T. High School, Louisville Wadsworth Watch Case Co., Dayton

LOUISIANA

Cahn Building, Shreveport Invincible Oil Co., Shreveport Louisiana College, Pineville Standard Oil Co., Baton Rouge State University, Baton Rouge Times-Picayune, New Orleans

MAINE

Deering High School, Portland High School, Millinocket Eastern Mfg. Co., South Brewer Press-Herald, Portland

MARYLAND

Baltimore & Ohio R. R., Baltimore
Baltimore-Maryland Engraving Co.
Coca Cola Building, Baltimore
Forest Park High School, Baltimore
News, Baltimore
U. S. Appraiser's Stores, Baltimore
U. S. Department of Agriculture, Beltsville
Western Electric Co., Baltimore

MASSACHUSETTS

Boston College, Newton Carnegie Institute, Brookline Clark University, Worcester Edison Electric Co., Boston General Electric Co., Boston General Electric Co., Pittsfield Gillette Safety Razor Co., Boston High School, Everett High School, Greenfield High School, Needham Massachusetts Inst. of Tech., Cambridge Palmer High School, Springfield Parochial School, Newton Republican, Springfield Wentworth Institute, Boston Western Electric Co., Boston

MICHIGAN

Cadillac Motor Car Co., Detroit
Detroit News, Detroit
Dodge Brothers, Detroit
Fisher Body Co., Detroit
Ford Motor Co., Detroit
Johns-Manville Co., Detroit
High School, Evart
High School, Flint
High School, Grand Rapids
Sacred Heart Seminary, Detroit
St. Joseph Sanitarium, Ann Arbor
University of Detroit

MINNESOTA

Duluth Engraving Co., Duluth
High School, Chisholm
High School, Coleraine
High School, Grand Rapids
High School, Hibbing
Mazda Lamp Works, Minneapolis
McDougal Creamery, Duluth
International Milling Co., Minneapolis
Normal School, Mankato
Naeve Hospital, Albert Lea
Pillsbury Flour Mills, Minneapolis
University of Minnesota, Minneapolis

MISSOURI

Acme Engraving Co., St. Louis Central High School, Kansas City Electric Storage Battery Co., Kansas City Fisher Body Co., St. Louis Ford Motor Co., St. Louis Globe Democrat, St. Louis Koken Barber Supply Co., St. Louis Post-Dispatch, St. Louis St. Francis Xavier College, St. Louis St. Louis University H. S., St. Louis South Side High School, St. Louis Sisters Hospital, St. Joseph University of Missouri, Columbia U. S. Food & Drug Laboratory, St. Louis

NEBRASKA

High School, Fairbury
High School, Fremont
High School, Newell
High School, Scribner
North High School, Omaha
St. Mary's Hospital, Columbus
State Capitol Building, Lincoln
Whittier School, Lincoln

NEW JERSEY

Agricultural College, New Brunswick Greenville Junior H. S., Jersey City Lincoln High School, Jersey City High School, Atlantic City High School, Bogota High School, Lakewood Lehn & Fink, Bloomfield Michelin Tire Co., Milltown Prudential Insurance Co., Newark Singer Mfg. Co., Elizabeth Summit High School Sunday Call, Newark Westinghouse Lamp Works, Bloomfield

NEW YORK

American Can Co., Brooklyn Beth Israel Hospital, New York Consolidated Laboratories, Astoria Binghamton Press, Binghamton Buffalo News, Buffalo Biltmore Hotel, New York East High School, Rochester Columbia University, New York Fisher Body Co., Buffalo Gorton High School, Yonkers Hospital for Joint Diseases, New York Hudson Towers Hospital, New York High School, Bath High School, Fulton Fifth Avenue Hospital, New York Fordham University, New York High School, Geneva High School, Irondequoit High School, Lyons Loose-Wiles Biscuit Co., Long Island City N. Y. Edison Co., New York New York Tribune, New York New York World, New York New York University, New York Northeast Electric Co., Rochester Pictorial Review, New York Mt. Sinai Hospital, New York Pratt Institute, Brooklyn State Normal School, Potsdam Vincentian Institute, Albany St. Joseph's Hospital, Elmira St. Mary's Hospital, New York

NORTH CAROLINA

Central High School, Charlotte High School, Concord High School, Gastonia

NORTH CAROLINA-Continued

High School, Laurinsburg
High School, Marion
Jefferson Std. L. I. Building, Greensboro
Law & Co., Wilmington
Southern Cotton Oil Co., Goldsboro
State Department of Agriculture, Raleigh
Swift Fertilizer Works, Wilmington

OHIO

Advertisers Building, Dayton American Rolling Mills, Middletown Ames Laboratory, Fremont Audubon High School, Cleveland Bexley School, Columbus Citizen Publishing Co., Columbus Daily News, Canton Daily News, Dayton Delco, Dayton East High School, Cleveland Grover Cleveland High School, Zanesville High School, Bedford High School, Dresden Lake Shore High School, Euclid Lammers Company, Dayton Home Steam Laundry, Cincinnati Lake Erie Glass Co., Cleveland National Lamp Works, Cleveland Ohio State University, Columbus Private Hospital, Portsmouth Rayen High School, Youngstown Roosevelt High School, Dayton Safe Cabinet Co., Marietta South High School, Columbus West Tech. High School, Cleveland White Motor Co., Cleveland

OKLAHOMA

Cochrane Laboratory, Picher Daily Oklahoman, Oklahoma City Marland Refining Co., Ponca City

OREGON

Grant High School, Portland
Fuller Building, Portland
High School, Helix
Oregon Engraving Co., Portland
Oregon Journal, Portland
State Agricultural College, Corvallis
Reed College, Portland
Washington High School, Portland

PENNSYLVANIA

Allentown Call, Allentown Bureau of Surveys, Philadelphia. Carnegie Institute, Pittsburgh Copper Clad Steel Co., Braddock C. Bragdon Engraving Co., Pittsburgh Hospital, Bryn Mawr Penn Engraving Co., Scranton Pennsylvania R. R., Altoona Pittsburgh Plate Glass Co., Pittsburgh Presbyterian Hospital, Philadelphia Roxboro High School, Philadelphia Reading General Hospital, Reading Sacred Heart Hospital, Allentown United States Mint, Philadelphia. West Penn Hospital, Pittsburgh Westinghouse High School, Fittsburgh

RHODE ISLAND

Pawtucket High School Providence Journal, Providence

SOUTH CAROLINA

Clemson College, Clemson Southern Cotton Oil Co., Columbia High School, Rock Hill Technical High School, Charleston Union Bleaching & Fin. Co., Greenville

SOUTH DAKOTA

High School, Rapid City High School, Spearfish

TENNESSEE

Buckeye Cotton Oil Co., Memphis Crockett High School, Memphis Commercial Appeal, Memphis Consolidated School, Rogersville Dow & Griscom, Chattanooga High School, Morristown High School, Pleasant Hill State Memorial Building, Nashville

TEXAS

Capitol Engraving Co., Austin High School, Nederland Parkland Hospital, Dallas South Park High School, Beaumont Southwestern Engraving Co., Ft. Worth

VIRGINIA

Atlantic Life Insurance Co., Richmond Princess Anne High School, Norfolk State Office Building, Richmond U. S. P. H. S. Hospital, Norfolk

WASHINGTON

Capital National Bank Building, Seattle
Garfield High School, Seattle
Kennecott Copper Co., Tacoma
Lewis & Clark High School, Spokane
High School, Kirkland
Pacific Coast Steel Co., Seattle
Providence Hospital, Everett
Reed High School, Shelton
St. Vincent Hospital, Seattle
Seattle Times, Seattle
Tenino High School, Tenino

WEST VIRGINIA

Douglas Junior High School, Huntington Colored Institute, Institute Libbey-Owens Glass Co., Charleston The Advertiser, Huntington University of West Virginia, Morgantown

WISCONSIN

Belle City Iron Works, Racine
Children's Hospital, Milwaukee
Continuation School, Milwaukee
High School, DePere
High School, Janesville
High School, Oshkosh
International Harvester Co., Milwaukee
Kurth Engraving Co., Milwaukee
Marquette University, Milwaukee
Milwaukee Electric Light Company
Milwaukee Gas Spec. Co., Milwaukee
Newport Company, Carrollville
Photo Engraving Co., Milwaukee
Pittsburgh Plate Glass Co., Milwaukee

CANADA

Caron Brothers, Montreal
Collegiate Institute, Saskatoon
LaPresse Publishing Co., Montreal
Martell Stewart Co., Montreal
Reliance Engraving Co., Toronto
Robin Hood Mills, Ltd., Calgary
University of New Brunswick, Fredericton

[BLANK PAGE]







